1999 GMC YUKON – 2WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TC10706

	STANDARD EQUIPMENT	
	Accessory Electrical Receptacle (2 additional power outlets)	S
	Center High Mounted Stop Lamp	S
	Glass, Solar-Ray Tinted	S
	Lighting: Front Dome with Map Reading Lamp, Rear Cargo Dome with Map Reading Lamp, Courtesy Lamps-Front Floor Area, Ashtray, Glove box and Underhood Lamps. Door Jamb Switch for Rear Lift Glass or Panel Doors	S
	Restraints: Driver and Passenger-side Air Bags	S
	Side Guard Door Beams	S
	Stop Lamp, High Mounted - roof mounted at center rear of vehicle. LED display	S
AU3	Power Side Door Locks	S
B85	Moldings: Body Side, Black with Bright Trim	S
B96	Moldings: Wheel Opening - Bright	S
C5Q	GVW Rating: 6,300 lbs (2,858 kgs)	S
D48	Mirrors: Exterior - electric, below eye-line, black.	S
JB5	Brake, Power	S
K60	Alternator: 100 Amp	S
VB3	Bumper: Rear Step: Chrome with black rub strips	S
VG3	Bumper, Front, Impact Strip	S
V76	Tow Hook	S
ZW9	Base Body: Panel Rear Doors	S
Z88	Name Plate Conversion - GMC	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

1999 GMC YUKON – 2WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TC10706

RPO	PACKAGED EQUIPMENT	
	SELECT-A-UNIT	**1R6K**
	PREFERRED EQUIPMENT GROUP	**1SK**
L31	Engine: 5.7 Liter, V8, Gas	X
M30	Transmission: 4 Speed Automatic	X
GU6	Axle: 3.42 Ratio	X
8A5	Alternator: 140 Amp - **Not Available** with ZN1	U
AE7	Seat: Front, Split Bench, Driver/Passenger - **Not Available** with ZN1	U
AG9	Power Seat Adjuster, 6 Way	X
C69	Rear Air Conditioning	X
G80	Limited Slip Differential	X
K02	Radiator Fan Booster	X
K47	Air Cleaner: Heavy Duty	X
N90	Wheels: Aluminum Cast	X
QFL	Tires: P235/75R15 Blackwall	X
TCE	Ship/Handling Processing Option	X
UD4	Speed Warning Device	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, ETR, Clock	X
V54	Luggage Carrier: Roof Mounted, Painted Black	X
YE9	Uplevel Trim Package - Includes AM7 Rear Folding Seat, A31 Power Windows, B32 Front Floor Mats, B33 Rear Floor Mats, C60 Air Conditioning, NP5 Leather Wrapped Steering Wheel, V22 Chrome Radiator Grille	X
ZQ3	Convenience Package - Includes K34 Speed Control and N33 Tilt Steering Column	X
ZW9	Body Code: Panel Doors	U
***	Special "Export" Package - Includes	X
	Cargo Floor Reinforcement	X
	Rear Forward Facing Bench Seat for 3	X

X = Included In Select-A-Unit Do Not Delete
- = Not Available
U = Upgradeable Option May Be Deleted If Substitute Option Is Specified

1999 GMC YUKON – 2WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TC10706

REQUIRED REGULATORY AND PROCESSING CONTENT		
	SELECT-A-UNIT	**1R6K**
	PREFERRED EQUIPMENT GROUP	**1SK**
EXP	Processing Option: GMODC, Export	**X**
FE9	Federal Emissions Certification	**X**
K55	Fuel Sender Assembly: Robust Fuel System	**X**
NM8	Lead Tolerant Engine	**X**
R6K	Processing Option: Middle East	**X**
T62	Daytime Running Lights - Delete	**X**
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	**X**
UL2	Radio Frequency: Europe	**X**
V87	Vehicle Certification Statement: Gulf State	**X**
VC5	Shipping Label	**X**
VK3	Front License Plate Mounting Bracket	**X**
VPH	Export Vehicle Preparation - Includes BAG Export Parts Package, VR6 Tie Down Hooks	**X**
Z5X	Mirror: Arabic Language Warning Label	**X**

OPTIONAL EQUIPMENT		
AU0	Remote Keyless Entry – **Not Available** with ZN1	**A**
A95	Seats: Front, Bucket, High Back, Reclining, Driver/Passenger Includes DK6 Interior Roof Console, D55 Floor Console	**A**
BVE	Running Boards	**A**
E55	Rear End Gate - Includes AU6 Electric Remote Control Release	**A**
ZN1	Comfort and Convenience Package: Export – **Requires** A95, leather trim; **8A5 Must Be Deleted;** Includes DD0 Mirrors: Outside, Rearview, Power, Light Sensitive, KG9 140 Amp Generator, KA1 Heated Seat, AG9 6 Way Power Seat Adjuster, Driver, AG2 6 Way Power Seat Adjuster, Passenger, C69 Front and Rear Air Conditioning, FG5 Bilstein 46 mm Shock Absorbers, B34 Front Carpeted Mats, B35 Rear Carpeted Mats, B39 Carpeted Load Area	**A**

X = Included in Select-A-Unit Do Not Delete
- = Not Available
A = Available

1999 GMC YUKON – 2WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TC10706

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦ 522	♦792

Exterior Paint Colour	Code	Available Combinations			
Light Pewter (Met)	11U	X	X	X	X
Medium Storm Gray (Met)	14U	X	X	---	X
Indigo Blue (Met)	39U	X	X	X	---
Onyx Black	41U	X	---	X	X
Summit White	50U	X	X	X	X
Dark Carmine Red (Met)	51U	X	---	X	X
Gold (Met)	60U	---	---	X	---
Victory Red	74U	X	---	X	X

♦ **Leather is on seating surfaces only.**

1999 GMC YUKON – 2WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TC10706

ZY2 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			
Light Pewter (Met)	11U	Medium Storm Gray (Met)	14L	X	X	---	X
	11U	Indigo Blue (Met)	39L	X	X	---	---
	11U	Onyx Black	41L	X	---	---	X
	11U	Dark Carmine Red (Met)	51L	X	---	---	X
Medium Storm Gray (Met)	14U	Light Pewter (Met)	11L	X	---	---	X
	14U	Onyx Black	41L	X	---	---	X
	14U	Dark Carmine Red (Met)	51L	X	---	---	X
	14U	Gold (Met)	60L	X	---	X	---
Indigo Blue (Met)	39U	Light Pewter (Met)	11L	X	X	---	---
	39U	Med Storm Gray (Met)	14L	X	X	---	---
	39U	Gold (Met)	60L	---	X	X	---
Onyx Black	41U	Light Pewter (Met)	11L	X	---	---	X
	41U	Medium Storm Gray (Met)	14L	X	---	---	X
	41U	Gold (Met)	60L	---	---	X	---
	41U	Victory Red	74L	X	---	---	X
Summit White	50U	Light Pewter (Met)	11L	X	X	---	X
	50U	Med Storm Gray (Met)	14L	X	X	---	X
	50U	Indigo Blue (Met)	39L	---	X	---	---
	50U	Gold (Met)	60L	---	---	X	---
Dark Carmine Red (Met)	51U	Light Pewter (Met)	11L	X	---	---	X
	51U	Medium Storm Gray (Met)	14L	X	---	---	X
	51U	Gold (Met)	60L	---	---	X	X
Gold (Met)	60U	Medium Storm Gray (Met)	14L	X	---	X	---
	60U	Onyx Black	41L	---	---	X	---
Victory Red	74U	Light Pewter (Met)	11L	X	---	---	X
	74U	Medium Storm Gray (Met)	14L	X	---	---	X
	74U	Onyx Black	41L	X	---	---	X

♦ **Leather is on seating surfaces only.**

REQUIRED ALL MID-EAST ORDERS		
RPO	**DESCRIPTION**	
EXP	Processing Option: GMODC, Export	X
NG1	Emissions System Tier 1	X
K02	Radiator Booster Fan (Required with L31 & C60)	X
K47	Air Cleaner: High Capacity, Gas Engines Only	X
K55	Fuel Sender Assembly: Robust Fuel System (with gas engine only)	X
NM8	Leaded Fuel Provisions: Gas Engines Only	X
R6K	Processing Option: Middle East	X
T62	Daytime Running Lights - Delete	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X
UD4	Speed Warning Device	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Clock, ETR	X
UL2	Radio Frequency: Europe	X
V87	Complete Vehicle Label	X
VC5	Shipping Label	X
VK3	Front License Plate Bracket	X
VPH	Export Vehicle Preparation – Includes BAG Export Parts Package, VR6 Tie Down Hook, V76 Tow Hook	X
Z5X	Mirror: Outside, Rearview with Arabic Language Warning	X

MODEL AND POWERTRAIN AVAILABILITY				
MODEL	**DESCRIPTION**	**ENG**	**DISPL.**	**TRANS.**
TC10706	Yukon 4 Door 2 Wheel Drive Utility	L31	5.7L V8	M30
TK10516	Yukon 2 Door 4 Wheel Drive Utility	L31	5.7L V8	M30
TK10706	Yukon 4 Door 4 Wheel Drive Utility	L31	5.7L V8	M30

OTHER AVAILABLE EXPORT OPTIONS:		
ZN1	Export Comfort and Convenience Package – **Requires** A95, SAU 3 leather trim; Includes AG2 (except K10516), AG9, B34, B35, B39, C69 (except K10516), DD0, FG5, KA1, KG9 **NOTE:** AU0 is deleted from SAU 3 when ZN1 is ordered.	A

EXPORT RESTRICTIONS:	
AJ1	Deep Tinted Glass – **Not Available**
DF2	Mirrors, Exterior, Camper-Type – **Not Available**
KNP	Transmission Cooling – **Not Available** with C60, C69 or YE9
ZM9	U. S. Comfort and Convenience Package – **Not Available**
Z82	Trailering Special Equipment – **Not Available**
9F8	Mirrors, Exterior, West Coast Type – **Not Available**

NOTE: An individual vehicle order guide with specific option package content is available for model TK10706 Yukon 4 door 4 Wheel Drive Utility.

1999 GMC YUKON – 4WD 2 DOOR UTILITY
MIDDLE EAST (GCC)
TK10516

	STANDARD EQUIPMENT	
	Brakes: Anti-Lock, 4 Wheel	S
	Center High Mounted Stop Lamp	S
	Fuel Tank: Approx. 114 Litres (25 Imperial Gallons)	S
	Glass: Solar-Ray Tinted	S
	Instruments: Speedometer, Odometer, Trip Odometer, Fuel, Voltmeter, Temperature, Oil Pressure, Tachometer	S
	Headlamps-On Warning Tone	S
	Lighting: Front Dome and Rear Cargo Area Dome Courtesy Lamps, Front Floor Well Area, Ashtray, Glovebox	S
	Restraints: Driver Side Air Bags	S
	Seats: Front Bucket	S
	Seat: Passenger, Easy Entry for Rear Seat Access	S
	Side Guard Door Beams	S
	Spare Tire and Jack	S
	Suspension: Front, Independent with Torsion Bars	S
	Suspension: Rear, Semi-elliptic Two-stage Multileaf Springs	S
	Stabilizer Bar: Front, 30 mm Diameter	S
AU3	Lock Control, Side Door, Electric	S
C5P	GVW Rating: 6250 lbs (2835 kgs)	S
DE2	Mirrors: Outside, Rearview, LH/RH, Manual Control, Folding, Black	S
JB5	Brakes: Power, Disc/Drum	S
K60	Alternator: 100 Amp	S
UM7	Radio: AM/FM Stereo, Seek/Scan, Clock, ETR	S
VB3	Bumper: Rear Step, Chrome with Black Impact Strip, Step Pad	S
VG3	Bumper: Front, Chrome with Black Impact Strip	S
V76	Tow Hooks, Front, Two	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE ENTERED ON ORDER.

1999 GMC YUKON – 4WD 2 DOOR UTILITY
MIDDLE EAST (GCC)
TK10516

RPO	PACKAGED EQUIPMENT		
	SELECT-A-UNIT	1R6K	2R6K
	PREFERRED EQUIPMENT GROUP	1SK	1SL
L31	Engine: 5.7 Liter Gas V-8	X	X
M30	Transmission: 4 Speed Automatic with Overdrive	X	X
GT4	Axle: 3.73 Ratio	X	X
A95	Seats: Front, Bucket, High Back, Driver/Passenger Recliner – **Includes** D55 Front Floor Console, DK6 Interior Roof Console with YE9	U	U
AG9	Seat Adjuster: 6 Way, Power	-	X
AU0	Remote Keyless Entry – **Not Available** with ZN1	-	U
B85	Moldings: Body Side, Black with Bright Trim – **Includes** B96 Wheel Opening Molding	X	X
C49	Rear Defogger	-	X
C60	Air Conditioning, Front	X	X
D48	Mirrors: Exterior, Electric, Fold-away, Black – **Not Available** with ZN1	-	U
DF5	Mirrors: Inside, Rearview, Light Sensitive, with Compass and Outside Temperature Display	-	X
G80	Limited Slip Differential	X	X
K02	Radiator Fan Booster	X	X
K47	Air Cleaner: Heavy Duty	X	X
NZZ	Skid Plate: Engine, Front Differential, Transfer Case, **Includes** NY1 Fuel Tank Shield	X	X
PF4	Wheels: 16 x 7, Aluminum	-	X
QGA	Tires: P245/75R16 Blackwall	X	U
UD4	Speed Warning Device	X	X
UQ3	Speaker System: 6 Speakers, Performance Enhanced Sound	-	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Clock, ETR	-	X
UL2	Radio Frequency - Europe	-	X
UL5	Radio: Delete	U	-
V54	Luggage Carrier: Roof Mounted, Painted Black	-	X
ZE5	Base Trim Package - Includes Rubber Floor Mat, Base Door Panels and Cloth Seats	X	-
YE9	Uplevel Trim Package - **Includes** Folding 2nd Seat, AM7 Rear Folding Seat A31 Power Windows, B32 Front Floor Mats, B33 Rear Floor Mats, NP5 Leather Wrapped Steering Wheel, V22 Chrome Grille	-	X
ZQ3	Convenience Package - Consists of K34 Speed Control, N33 Tilt Steering Column	-	X
ZW9	Body Code: Cargo Doors	U	U
9X5	Trim Override Cloth	X	-

X = Included in Select-A-Unit Do Not Delete
U = Upgradeable Option May Be Deleted if Substitute Option is Specified
- = Not Available

1999 GMC YUKON – 4WD 2 DOOR UTILITY
MIDDLE EAST (GCC)
TK10516

RPO	REQUIRED REGULATORY and PROCESSING CONTENT		
	PREFERRED EQUIPMENT GROUP	**1SK**	**1SL**
EXP	Processing Option: GMODC, Export	X	X
NG1	Emission: Geographically restricted	X	X
K55	Fuel Sender Assembly: Robust Fuel System	X	X
NM8	Lead Tolerant Engine	X	X
R6K	Processing Option: Middle East	X	X
T62	Daytime Running Lights - Delete	X	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X	X
V87	Vehicle Certification Statement: Gulf State	X	X
VC5	Shipping Label	X	X
VK3	Front License Plate Mounting Bracket	X	X
VPH	Export Vehicle Preparation - Includes BAG Export Parts Package, VR6 Tie Down Hook	X	X
Z5X	Mirror: Arabic Language Warning Label	X	X

	AVAILABLE OPTIONS		
AE7	Seat: Front, Split Bench – **Not Available** with Z71 Chassis Package	A	A
BVE	Running Boards	A	A
B71	Molding: Wheel Flares	A	A
C49	Rear Defogger – **Not Available** with E55 unless ZP6 is ordered	A	-
E55	Rear End Gate - **Includes** AU6 Electric Remote Control Release; with YE9 includes ZP6	A	A
NP8	Transfer Case: 2 Speed Push Button Control	-	A
PF4	Wheels: 16 x 7, Aluminum	A	-
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Clock, ETR – **Requires** UL2	A	-
UL2	Radio Frequency, Europe – **Requires** UL0	A	-
QGC	Tires: P265/75R16 Blackwall – **Requires** Z71	-	A
ZN1	Export Comfort and Convenience Package – **Requires** A95 and leather trim; **Includes** B34 Front Carpeted Floor Mats, B35 Rear Carpeted Floor Mats, B39 Carpeted Load Floor, DD0 Mirrors, Outside, Rearview, LH/RH, Remote Control, Electric, Heated, Light Sensitive, FG5 Front/Rear Gas Shock Absorbers, KA1 Heated Seat, KG9 140 Amp Generator **NOTE:** AU0 and D48 will be deleted	-	A
ZP6	Rear Window, Wash/Wipe/Defog – **Includes** C49; **Requires** E55	A	A
ZQ3	Convenience Package - Consists of K34 Speed Control, N33 Tilt Steering Column	A	-
Z71	Chassis Package, Off-Road – **Includes** NZZ Skid Plates; **Requires** QGC Tires; **Requires** YE9; **Not Available** with ZN1	-	A

X = Included in Select-A-Unit Do Not Delete
- = Not Available
A = Available

1999 GMC YUKON – 4WD 2 DOOR UTILITY
MIDDLE EAST (GCC)
TK10516

ZY1 PAINT APPLICATION

		Seat Ordering Information			Interior Trim			
Model	Model Option	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
TK10516	ZE5/YE9	Bucket	Custom Cloth	AE7/A95	13D	26D	52D	79D
	YE9	Bucket	Leather	AE7/A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Available Combinations				B71 Wheel Opening Fender Flare
		13	26	52	79	
Pewter (Met)	11U	X	X	X	X	Pewter (Met)
Storm Gray (Met)	14U	X	X	---	X	Storm Gray (Met)
Indigo Blue (Met)	39U	X	X	X	---	Dark Argent
Onyx Black	41U	X	---	X	X	Onyx Black
Summit White	50U	X	X	X	X	Summit White
Dark Toreador Red (Met)	51U	X	---	X	X	Dark Argent
Gold (Met)	60U	---	---	X	---	Gold (Met)
Fire Red	74U	X	---	X	X	Fire Red

♦ **Leather is on seating surfaces only.**

1999 GMC YUKON – 4WD 2 DOOR UTILITY
MIDDLE EAST (GCC)
TK10516

ZY2 PAINT APPLICATION
YE9 Model Option

Model	Model Option	Seat Ordering Information			Interior Trim			
		Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
TK10516	YE9	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
		High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations				B71
				13	26	52	79	
Pewter (Met)	11U	Storm Gray (Met)	14L	X	X	---	X	***
	11U	Indigo Blue (Met)	39L #	X	X	---	---	---
	11U	Onyx Black	41L	X	---	---	X	***
	11U	Dark Toreador Red (Met)	51L #	X	---	---	X	---
Storm Gray (Met)	14U	Pewter (Met)	11L	X	---	---	X	***
	14U	Onyx Black	41U	X	---	---	X	***
	14U	Dark Toreador Red (Met)	51L #	X	---	---	X	---
	14U	Gold (Met)	60L	X	---	X	---	***
Indigo Blue (Met)	39U	Pewter (Met)	11L	X	X	---	---	***
	39U	Storm Gray (Met)	14L	X	X	---	---	***
	39U	Gold (Met)	60L	---	X	X	---	***
Onyx Black	41U	Pewter (Met)	11L	X	---	---	X	***
	41U	Storm Gray (Met)	14L	X	---	---	X	***
	41U	Gold (Met)	60L	---	---	X	---	***
	41U	Fire Red	74L #	X	---	---	X	---
Summit White	50U	Pewter (Met)	11L	X	X	---	X	***
	50U	Storm Gray (Met)	14L	X	X	---	X	***
	50U	Indigo Blue (Met)	39L #	---	X	---	---	---
	50U	Gold (Met)	60L	---	---	X	---	***
Dark Toreador Red (Met)	51U	Pewter (Met)	11L	X	---	---	X	***
	51U	Storm Gray (Met)	14L	X	---	---	X	***
	51U	Gold (Met)	60L	---	---	X	X	***
Gold (Met)	60U	Storm Gray (Met)	14L	X	---	X	---	***
	60U	Onyx Black	41L	---	---	X	---	***
Fire Red	74U	Pewter (Met)	11L	X	---	---	X	***
	74U	Storm Gray (Met)	14L	X	---	---	X	***
	74U	Onyx Black	41L	X	---	---	X	***

♦ **Leather is on seating surfaces only.**
\# **Not Available when B71 is specified.**
*** **B71 Wheel Opening Fender Flare color matches the lower body color.**

1999 GMC YUKON – 4WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TK10706

STANDARD EQUIPMENT		
	Accessory Electrical Receptacle (2 additional power outlets)	S
	Center High Mounted Stop Lamp	S
	Glass, Solar-Ray Tinted	S
	Lighting: Front Dome with Map Reading Lamp and Rear Cargo Dome with Map Reading Lamp, Courtesy Lamps Front Floor Well Area, Ashtray, Glovebox and Underhood Lamps, Door Jamb Switch for Rear Lift Glass or Panel Doors	S
	Restraints: Driver and Passenger-side Air Bags	S
	Side Guard Door Beams	S
	Stop Lamp, High Mounted - roof mounted at center rear of vehicle. LED display	S
AE7	Seat: Front 60/40 Reclining Split Bench	S
AU3	Power Side Door Locks	S
B85	Moldings: Body Side, Black with Bright Trim	S
B96	Moldings: Wheel Opening - Bright	S
C5U	GVW Rating: 6,800 lbs (3084 kgs)	S
D48	Mirrors: Exterior - electric, below eye-line, black.	S
JB6	Brake, Power	S
K60	Alternator: 100 Amp	S
PF4	Wheels: Aluminum	S
VB3	Bumper: Rear Step - Chrome with black rub strips	S
VG3	Bumper, Front, Impact Strip	S
V76	Tow Hook	S
ZW9	Base Body: Panel Rear Doors	S
Z88	Name Plate Conversion - GMC	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

1999 GMC YUKON – 4WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TK10706

RPO	PACKAGED EQUIPMENT			
	SELECT-A-UNIT	1R6K	2R6K	3R6K
	PREFERRED EQUIPMENT GROUP	1SK	1SL	1SM
L31	Engine: 5.7 Liter, V8, Gas	X	X	X
M30	Transmission: 4 Speed Automatic	X	X	X
GT4	Axle: 3.73 Ratio	X	X	X
G80	Limited Slip Differential	X	X	X
YE9	Uplevel Trim Package - Includes AM7 Rear Folding Seat, A31 Power Windows, B32 Front Floor Mats, B33 Rear Floor Mats, NP5 Leather Wrapped Steering Wheel, V22 Chrome Radiator Grille	X	X	X
8A5	Alternator: 140 Amp - **Not Available** with ZN1	U	U	U
AE7	Seat: Front, Split Bench, Driver/Passenger - **Not Available** with ZN1	U	-	U
A95	Seats: Front, Bucket, High Back, Reclining, Driver/Passenger – Includes DK6 Interior Roof Console, D55 Floor Console	–	X	–
C69	Rear Air Conditioning	X	X	X
AG9	Power Seat Adjuster, 6 Way	X	X	X
K02	Radiator Fan Booster	X	X	X
K47	Air Cleaner: Heavy Duty	X	X	X
PF4	Wheels: Aluminum	X	X	X
TCE	Ship/Handling Processing Option	X	X	X
UD4	Speed Warning Device	X	X	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, ETR, Clock	X	X	X
V54	Luggage Carrier: Roof Mounted, Painted Black	X	X	X
QGA	Tires: P245/75R16 Blackwall	X	X	X
ZQ3	Convenience Package - Includes K34 Speed Control and N33 Tilt Steering Column	X	X	X
ZW9	Body Code: Panel Doors - Upgradeable to E55	U	U	U
***	Special "Export" Package: Consists of;	X	X	X
	Tires: P275/70R16 'On-Off Road'	X	X	-
	Wheel Flares	X	X	-
	Rear Tow Hooks	X	X	-
	Aluminum Spare Wheel	X	X	-
	Decals - 4X4, 5700cc	X	X	-
	Side and Rear Body Stripes	X	X	-
	Spare Tire Guide	X	X	-
	Cargo Floor Reinforcement	X	X	X
	Rear Forward Facing Bench Seat for 3	-	X	X

X = Included in Select-A-Unit Do Not Delete
- = Not Available
U = Upgradeable Option May Be Deleted If Substitute Option is Specified

1999 GMC YUKON – 4WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TK10706

REQUIRED REGULATORY AND PROCESSING CONTENT				
	SELECT-A-UNIT	**1R6K**	**2R6K**	**3R6K**
	PREFERRED EQUIPMENT GROUP	**1SK**	**1SL**	**1SM**
EXP	Processing Option: GMODC, Export	X	X	X
FE9	Federal Emissions Certification	X	X	X
K5J	Fuel Sender Assembly: Robust Fuel System	X	X	X
NM8	Lead Tolerant Engine	X	X	X
R6K	Processing Option: Middle East	X	X	X
T62	Daytime Running Lights - Delete	X	X	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X	X	X
UL2	Radio Frequency: Europe	X	X	X
V87	Vehicle Certification Statement: Gulf State	X	X	X
VC5	Shipping Label	X	X	X
VK3	Front License Plate Mounting Bracket	X	X	X
VPH	Export Vehicle Preparation - Includes BAG Export Parts Package, VR6 Tie Down Hooks	X	X	X
Z5X	Mirror: Arabic Language Warning Label	X	X	X

OPTIONAL EQUIPMENT				
AU0	Remote Keyless Entry – **Not Available** with ZN1	A	A	A
A95	Seats: Front, Bucket, High Back, Reclining, Driver/Passenger – Includes DK6 Interior Roof Console, D55 Floor Console	A	–	A
BVE	Running Boards	A	A	A
E55	Rear End Gate - Includes AU6 Electric Remote Control Release	A	A	A
NP8	Transfer Case: Active, 2 Speed, Pushbutton Control	A	A	A
NZZ	Shield Package: Engine, Front Differential, Transfer Case	A	A	A
ZN1	Comfort and Convenience Package: Export – **Requires** A95, leather trim; **8A5 Must Be Deleted**; Includes DD0 Mirrors: Outside, Rearview, Power, Light Sensitive, KG9 140 Amp Generator, KA1 Heated Seat, AG9 6 Way Power Seat Adjuster, Driver, AG2 6 Way Power Seat Adjuster, Passenger, C69 Front and Rear Air Conditioning, FG5 Bilstein 46 mm Shock Absorbers, B34 Front Carpeted Mats, B35 Rear Carpeted Mats, B39 Carpeted Load Area.	A	A	A

X = Included in Select-A-Unit Do Not Delete
- = Not Available
A = Available

1999 GMC YUKON – 4WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TK10706

ZY1 PAINT APPLICATION

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Available Combinations			
Pewter (Met)	11U	X	X	X	X
Storm Gray (Met)	14U	X	X	---	X
Indigo Blue (Met)	39U	X	X	X	---
Black Onyx	41U	X	---	X	X
Summit White	50U	X	X	X	X
Dark Toreador Red (Met)	51U	X	---	X	X
Gold (Met)	60U	---	---	X	---
Fire Red	74U	X	---	X	X

♦ **Leather is on seating surfaces only.**

1999 GMC YUKON – 4WD 4 DOOR UTILITY
MIDDLE EAST (GCC)
TK10706

ZY2 PAINT APPLICATION

	Seat Ordering Information			Interior Trim			
Model Option	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations			
Pewter (Met)	11U	Storm Gray (Met)	14L	X	X	---	X
	11U	Indigo Blue (Met)	39L	X	X	---	---
	11U	Onyx Black	41L	X	---	---	X
	11U	Dark Toreador Red (Met)	51L	X	---	---	X
Storm Gray (Met)	14U	Pewter (Met)	11L	X	---	---	X
	14U	Onyx Black	41L	X	---	---	X
	14U	Dark Toreador Red (Met)	51L	X	---	---	X
	14U	Gold (Met)	60L	X	---	X	---
Indigo Blue (Met)	39U	Pewter (Met)	11L	X	X	---	---
	39U	Storm Gray (Met)	14L	X	X	---	---
	39U	Gold (Met)	60L	---	X	X	---
Onyx Black	41U	Pewter (Met)	11L	X	---	---	X
	41U	Storm Gray (Met)	14L	X	---	---	X
	41U	Gold (Met)	60L	---	---	X	---
	41U	Fire Red	74L	X	---	---	X
Summit White	50U	Pewter (Met)	11L	X	X	---	X
	50U	Storm Gray (Met)	14L	X	X	---	X
	50U	Indigo Blue (Met)	39L	---	X	---	---
	50U	Gold (Met)	60L	---	---	X	---
Dark Toreador Red (Met)	51U	Pewter (Met)	11L	X	---	---	X
	51U	Storm Gray (Met)	14L	X	---	---	X
	51U	Gold (Met)	60L	---	---	X	X
Gold (Met)	60U	Storm Gray (Met)	14L	X	---	X	---
	60U	Onyx Black	41L	---	---	X	---
Fire Red	74U	Pewter (Met)	11L	X	---	---	X
	74U	Storm Gray (Met)	14L	X	---	---	X
	74U	Onyx Black	41L	X	---	---	X

♦ **Leather is on seating surfaces only**

YUKON

2 DOOR 2 WHEEL DRIVE	TC10516
2 DOOR 4 WHEEL DRIVE	TK10516
4 DOOR 2 WHEEL DRIVE	TC10706
4 DOOR 4 WHEEL DRIVE	TK10706

"STEP by STEP"

STEP #1:	SELECT	MODEL CODE Review Standard Equipment
STEP #2:	SELECT	PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE
STEP #3:	SELECT	POWER TEAM REQUIREMENTS
STEP #4:	SELECT	ADDITIONAL OPTIONS
STEP #5:	SELECT	COLOUR, TRIM AND PAINT APPLICATION CODE

1999 LIGHT DUTY TRUCKS

STEP #1: SELECT MODEL CODE – Review Standard Equipment

SAFETY/SECURITY	ZE5	YE9
Air Bag Restraint: Next Generation Driver and Passenger Sides	S	S
Antilock Brakes: ABS 4 Wheel and Brake Transmission Shift Interlock	S	S
Child Safety Door Locks: Rear Side Doors (C10706, K10706)	S	S
Lights: Daytime Running Lights; Centre high mounted stop lamp	S	S
Passlock™ Security System	S	S
Side Guard Door Beams	S	S
Single Two-Sided Key: Common key to operate ignition and doors	S	S
EXTERIOR		
Bumpers: Front and rear step; chrome with rub strip (except BYP)	S	S
Front and rear step; body-coloured with rub strip (with BYP)	---	S
Glass: Solar-Ray™ Tinted; all windows	S	S
Grille: Moulded Plastic; Painted Argent; Integral GMC letters at centre of grille	S	---
Moulded Plastic; Painted Argent; Integral GMC letters at centre of grille; chrome-trimmed (C10516, K10516 except BYP)	---	S
Colour-keyed with bright trim ring (C10706, K10706)	---	S
Uplevel body-coloured; Integral GMC letters at centre of grille (K10516 with BYP)	---	S
Headlamps: Two rectangular halogen – ZE5; Four composite with halogen bulbs – YE9	S	S
Horn: Single, electric low note	S	---
Dual, electric high/low note	---	S
Lights: Backup Lamps, Combination Parking/Direction/Hazard, Combination Tail/Stop/Direction/Hazard, Headlamps, License Plate lamp, Side Marker lamps with reflectors, Underhood lamp	S	S
Luggage Carrier: Roof mounted. Painted black	---	S
Mirrors: Black left hand and right hand. Below eye-line type. Fold-away	S	S
Black Electric Remote Control	---	S
Mouldings: Black hidden roof drip mouldings	S	S
Bright body side and wheel opening mouldings (except BYP)	S	S
Nameplates: "GMC" on lower right of panel doors/tailgate. "Yukon" on lower left of panel doors/tailgate	S	S
"SL" nameplate on B pillar. Yukon nameplate on doors.	S	---
"SLE"/"SLT" nameplate on B pillar. Yukon nameplate on doors.	---	S
"GT" Sport identification decals (with BYP)	---	S
Panel Doors: Painted interior surface with upper belt hard plastic garnish	S	---
Fully trimmed with upper belt hard plastic garnish and lower carpet	---	S
Spare Tire Carrier: Mounted under body (C10706, K10706)	S	S
Tow Hooks: Left hand and right hand front tow hooks mounted at the front of each frame side member (K10516, K10706)	S	S
Wheels: Silver painted steel with black plastic hub caps	S	---
Cast Aluminum	---	S
Windshield Wipers and Washers: Intermittent wiper system. Demand-type washer system	S	S
Wiring Harness, Trailer: Heavy duty, 8-lead	S	S
INTERIOR		
Air Conditioning: All Weather Front.	---	S
Armrests: Front: Left hand and right hand padded; Integral with door panels	S	S
Rear: Left hand and right hand padded; Integral with rear quarter inner trim panel (C10516, K10516)	---	S
Rear: Left hand and right hand padded; Integral with door panels (C10706, K10706)	---	S
Assist Handle: Front passenger side - 1 on pillar, 1 on headliner; colour-keyed	S	S
Rear both sides - 1 on B pillar, 1 on headliner; colour-keyed (C10706, K10706)	---	S
Cargo Security Shade: Removable; extends from rear seat to back of vehicle; vinyl; colour-keyed (C10706, K10706)	---	S
Coat Hooks: Left hand and right hand colour-keyed on 'B' Pillar (C10516, K10516)	S	S
Left hand and right hand colour-keyed on rear quarter panel behind rear seat	---	S
Left hand and right hand colour-keyed, above rear seat (C10706, K10706)	---	S
Convenience Group: Power side door locks	S	S
Power side door windows with express down feature on driver's window, tilt wheel, speed control	---	S
Cup Holders: Dual, in instrument panel	S	S
Door Lock, Rear: Lock/unlock switch located on the right hand rear pillar. This allows all doors to be locked/unlocked from the rear while the rear doors are open. When the Standard Panel Doors (ZW9) are specified, all doors will be automatically relocked, five seconds after the rear doors are closed	S	S
Door Trim Panels: Colour-keyed grained moulded plastic	S	---
Soft vinyl with carpet covered map pocket and cloth insert	---	S
Floor Covering: One piece front and rear seating floor area. One piece cargo floor area	S	S
Black vinyl mat. Rear wheelhouse exposed body colour sheet metal	S	---
Colour-keyed moulded carpet with Scotchgard™ Fabric Protector. Carpeted rear wheelhouse. Front and rear rubber mats.	---	S
Gauges: Analog needle design. Speedometer, odometer, fuel level, voltmeter, temperature, oil pressure, tachometer	S	S
Headlamps-on and Key-in-Ignition Warning Buzzer	S	S

S Standard

STEP #1: SELECT MODEL CODE – Review Standard Equipment

INTERIOR	ZE5	YE9
Headliner: One piece design. Cloth covered moulded fiberglass construction	S	S
Heater and Defogger: Windshield and side window defoggers. Rear seat heater ducts	S	S
Rear window defogger, electric	---	S
Instrument Panel: Colour-keyed, energy-absorbing foam type with grained vinyl skin; two auxiliary power outlets with spring loaded doors; cigarette lighter	S	S
Lights: Instrument cluster lights. Front and rear dome lamps incorporating a 20 second delay-off feature with door jamb switches on side doors. Two map lights, front and rear. Ashtray and glove compartment lamps	S	S
Mirror, Rearview: 254 mm (10") electrochromic. Mirror automatically adjusts to reduce night time glare. Includes a continually recalibrating 8 point compass system, outside temperature	---	S
Radio Equipment: Electronically Tuned AM/FM Stereo Radio with Seek-Scan and Digital Clock. Includes fixed mast antenna and four speakers; 2 - front doors; 2 - rear headliner (C10516, K10516)	S	S
Electronically Tuned AM/FM Stereo with Seek-Scan, Cassette Player, Automatic Tone Control and Clock. Fixed mast antenna. Six speakers: 2 high sensitivity speakers in front doors, 2 tweeters in front door armrests, 2 rear speakers in headliner plus two speakers mounted in rear side doors (C10706,K10706)	---	S
Seats: Front low back vinyl buckets with easy entry feature for left hand and right hand seats	S	---
Front split bench cloth seat with easy entry on both sides; power driver lumbar; seat back recliners; seat back storage nets, fold-down centre armrest storage compartment incorporating a coin holder, map net on lid and a writing board	---	S
Head Restraints, adjustable. On all outboard seats	S	S
Rear bench with folding back and cushion (vinyl on ZE5; cloth on YE9) (C10516, K10516)	S	S
60/40 rear split cloth bench with folding back; fold-down armrest with two cupholders and a tissue holder (C10706,K10706)	---	S
Spare Tire Carrier: Mounted behind rear seat on left hand side (C10516, K10516)	S	S
Colour-keyed cloth covered (C10516, K10516)	---	S
Steering Wheel and Column: Black energy absorbing steering column with anti-theft locking feature	S	S
Simulated leather sport wheel with four-spoke design	S	---
Leather wrapped sport wheel with four spoke design	---	S
Sunshades: Left hand and right hand padded; colour-keyed vinyl; visor mirror on right hand sunshade	S	---
Left hand and right hand padded, with extenders and lighted visor mirrors; colour-keyed cloth	---	S
Tools: Mechanical jack and wheel wrench located on interior left hand rear side	S	S

S Standard

1999 LIGHT DUTY TRUCKS

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

REFER TO GENERAL INFORMATION SECTION FOR HOW TO ORDER INFORMATION WHEN CHANGING POWERTRAIN

NOTE: SEE POWER TEAM CHARTS FOR CORRECT UPGRADES COMPATIBILITY

OPTION DESCRIPTION	OPTION CODE	SELECT-A-UNIT CODES				
		SL	SLE	SLT	SLT	GT SPORT
		C/K10516	C/K10516 C/K10706	C/K10516 C/K10706	C/K10516 C/K10706	K10516
		1	2	3	4	5
PREFERRED EQUIPMENT GROUPS	---	1SA	1SB	♦1SC	♦1SD	1SE
MODEL OPTION: SL	ZE5	X				
BODY ORDERING CODE: Panel Doors	ZW9	U	U	U	U	U
Engine: 5700 V8 Sequential Fuel Injection	L31	X	X	X	X	X
Transmission: 4 Speed Automatic with overdrive	M30	X	X	X	X	X
GVWR: 2767 kgs (6100 lbs) (C10516)	C5M	X	X	X	X	
GVWR: 2835 kgs (6250 lbs) (K10516)	C5P	X	X	X	X	X
GVWR: 2857 kgs (6300 lbs) (C10706)	C5Q		X	X	X	
GVWR: 3084 kgs (6800 lbs) (K10706)	C5U		X	X	X	
Axle, Rear: 3.08 Ratio (C10516)	GU4	U	U	U	U	
Axle, Rear: 3.42 Ratio (K10516,C10706,K10706)	GU6	U	U	U	U	U
Tires: P235/75R15 ALS Blackwall (C10516,C10706)	QFL	U	U	U	U	
Tires: P245/75R16 All Terrain Blackwall (K10516,K10706)	QGA	U	U	U	U	U
Seats: Low Back Front Buckets	A50	X				
Seats: Split Front Bench	AE7		U			U
Seats: High Back Reclining Front Buckets with Leather Trim	A95			U	X	
MODEL OPTION: SLE/SLT	YE9		X	X	X	X
Autotrac (K10516,K10706)	NP8			U	U	
Keyless Entry, Remote	AU0			X	X	
Seat Adjuster, Power: 6 Way. Driver's Side	AG9			X	X	
LUXURY CONVENIENCE PACKAGE	ZM9				X	
Air Conditioning: Front & Rear (C10706, K10706)	C69				X	
Flooring: Auxiliary Carpeted Floor Mats with Carpeted Load Area Mat	B34				X	
Heated Seat: Driver and Passenger	KA1				X	
Mirror: Outside Dual, Electric Remote Control, Heated, Light Sensitive	DD0				X	
Radio: AM/FM Cassette, SS, Clock	UL0				U	
Seat Adjuster Power: 6 Way Passenger Side (C10706, K10706)	AG2				X	
Shocks: Front and Rear, Gas Preloaded, 46 mm	FG5				X	
Transmitter Homelink: In Overhead Roof Console	UG1				X	
SPORT PACKAGE	BYP					X
Mouldings: Dark Argent Wheel Opening Fender Flare	B71					X
Paint: Solid	ZY1					X

♦ **Requires Leather Trim Code 132, 262, 522 or 792**
X **Option Included in Select-A-Unit DO NOT DELETE**
U **Option Included in Select-A-Unit and May Be Deleted if Substitute Option is Specified**

STEP #2: SELECT PREFERRED EQUIPMENT GROUP AND IDENTIFY SELECT-A-UNIT CODE

Description	Model Code	Model Option	Select-A-Unit Code	Option Code
2 DOOR – 2 WHEEL DRIVE				
YUKON SL				
Model Price	C10516	ZE5	1	1SA
YUKON SLE/SLT #				
Model Price	C10516	YE9	2	1SB
Preferred Equipment Group Price	C10516	YE9	3	1SC
Preferred Equipment Group Price	C10516	YE9 & ZM9	4	1SD
2 DOOR – 4 WHEEL DRIVE				
YUKON SL				
Model Price	K10516	ZE5	1	1SA
YUKON SLE/SLT #				
Model Price	K10516	YE9	2	1SB
Preferred Equipment Group Price	K10516	YE9	3	1SC
Preferred Equipment Group Price	K10516	YE9 & ZM9	4	1SD
SPORT PACKAGE #				
Preferred Equipment Group Price	K10516	YE9 & BYP	5	1SE
4 DOOR – 2 WHEEL DRIVE				
YUKON SLE/SLT #				
Model Price	C10706	YE9	2	1SB
Preferred Equipment Group Price	C10706	YE9	3	1SC
Preferred Equipment Group Price	C10706	YE9 & ZM9	4	1SD
4 DOOR – 4 WHEEL DRIVE				
YUKON SLE/SLT #				
Model Price	K10706	YE9	2	1SB
Preferred Equipment Group Price	K10706	YE9	3	1SC
Preferred Equipment Group Price	K10706	YE9 & ZM9	4	1SD

STEP #3: SELECT POWER TEAM REQUIREMENTS

Engine, Transmission, Axle Ratio and GVWR Code Must Be Specified

C10516

					GVWR Code kgs lbs	C5M 2767 6100
					Axle Ratio	# 3.08 3.42
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	M30 – Automatic with Overdrive		# GU4 GU6

K10516

					GVWR Code kgs lbs	C5P 2835 6250
					Axle Ratio	3.42 3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	M30 – Automatic with Overdrive		GU6 GT4

C10706

					GVWR Code kgs lbs	C5Q 2858 6300
					Axle Ratio	3.42 3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	M30 – Automatic with Overdrive		GU6 GT4

K10706

					GVWR Code kgs lbs	C5U 3084 6800
					Axle Ratio	3.42 3.73
Engine Type	Displace-ment	Fuel System	Net HP	Transmission Type		Axle Ratio Codes
L31 V8	5.7 Litre 350 Cu. In.	SFI	255 @ 4600	M30 – Automatic with Overdrive		GU6 GT4

 # Not Available with G80

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code
BODY ORDERING CODE: Tailgate: Lift Glass. Includes Electric Lift Glass Release.	
With YE9 includes ZP6.	
Drop Gate. Colour-keyed plastic panel and body coloured sheet metal with ZE5.	
Drop Gate. Colour-keyed plastic panel with carpet insert with YE9.	
Sheet metal frame painted black. Assembly utilizes hidden hinges and gas hold/open assist struts.	
Optional with: ..... SAU 1, 2, 3, 4 or 5	E55
ENGINES: Refer to Power Teams Charts for engine availability.	
Vortec 5700 Sequential Fuel Injection (SFI) V8.	
Includes 140 amp alternator with ZM9.	L31
6.5 Litre (395 Cu. In.) V8 Turbo Diesel. Includes front bumper guards.	
TRANSMISSIONS: Refer to Power Teams Charts for transmission availability.	
4-Speed Automatic with overdrive. 4L60E.	
Optional with:	M30
GVWR: Refer to Power Teams Charts for GVWR availability.	
2767 kgs (6100 lbs).	
Optional with: C10516	C5M
2835 kgs (6250 lbs).	
Optional with: K10516	C5P
2858 kgs (6300 lbs).	
Optional with: C10706	C5Q
3084 kgs (6800 lbs).	
Optional with: K10706	C5U
AXLES, REAR: Refer to Power Teams Charts for axle ratio availability.	
3.08 Ratio.	
Optional with: C10516	GU4
3.42 Ratio.....	GU6
3.73 Ratio. Includes extra capacity engine oil cooling.	
Optional with: K10516,C10706,K10706	GT4
Locking Differential. **Not Available** with GU4.....	G80
TIRES: Steel Belted Radial. Front, Rear and Spare.	
P235/75R15 All Seasons Blackwall.	
Optional with: C10516,C10706	QFL
P235/75R15 All Seasons White Lettered.	
Optional with: C10516,C10706	QFN
P245/75R16 All Terrain Blackwall.	
Optional with: K10516,K10706	QGA
LT245/75R-16/C On-Off Road Blackwall.	
Optional with: ..... SAU 1, 2, 3 or 4 on K10516	QBN
LT245/75R-16/C On-Off Road White Outline Lettered.	
Optional with: ..... SAU 1, 2, 3 or 4 on K10516	QBX
P245/75R16 All Terrain White Outline Lettered.	
Optional with: K10706	QGB
P265/75R16 All Terrain Blackwall. **Requires** PF4.	
Optional with: K10516	QGC
P265/75R16 All Terrain White Outline Lettered. **Requires** PF4.	
Optional with: ..... SAU 1, 2, 3 or 4 on K10516	QGD

1999 LIGHT DUTY TRUCKS

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code

SEATS: Cloth trim includes Scotchgard™ Fabric Protector. See Colour and Trim Charts.
Low Back Reclining Front Buckets.
Optional with: ..... 'V' Trim.....SAU 1.....A50

Split Front Bench. Includes manual seat back recliners, easy entry feature on passenger side, fold-down centre armrest storage compartment incorporating a coin holder, map net in lid and a writing board and seat back storage nets.
Includes power adjustable lumbar driver and passenger sides with '2' Leather Trim. Driver side only with 'D' Trim.
Includes easy entry feature on driver side unless AG9 is specified.
Optional with: ..... 'D' Trim.....SAU 2 or 5..... AE7
..... '2' Leather Trim.....SAU 3 or 5..... AE7

High Back Reclining Front Buckets with inboard armrests. Includes floor console and roof console.
Floor console includes a removable coin holder, map net in lid, pivoting writing board, rear seat cup holders and a latched stowage drawer with rear seat access.and seat back storage nets.
Includes power adjustable lumbar driver and passenger sides with '2' Leather Trim. Driver side only with 'D' Trim.
Deletes standard fold-down centre armrest.
Optional with: ..... 'D' Trim.....SAU 2 or 5.....A95
..... '2' Leather Trim.....SAU 3, 4 or 5.....A95

AIR CLEANER: High Capacity.....K47

AIR CONDITIONING: All Weather Front. Included with YE9. Includes instrument panel air system and increased capacity cooling.
Optional with: .....SAU 1 on C10516, K10516.....C60

Rear Air Conditioning: Includes dual controls. Includes rear overhead mounted circulating air system. Included in SAU 4 on C10706, K10706.
Optional with: .....SAU 2 or 3 on C10706, K10706.....C69

CHASSIS EQUIPMENT: On-Off Road Package. **Requires** YE9 and QGC, QGD, QBN or QBX. **Not Available** with ZM9 or ZN1. Includes NZZ and front and rear 46 mm high pressure gas shocks.
Optional with: ..... SAU 2, 3 or 5 on K10516.....Z71

COLD CLIMATE PACKAGE: Includes Engine Block Heater.....V10

CONVENIENCE GROUP: Tilt Wheel and Speed Control. Included with YE9.
Optional with: .....SAU 1 on C10516, K10516.....ZQ3

COOLING SYSTEMS: Extra capacity.
Engine Oil. **Requires** GU4 or GU6. Included with GT4.
Optional with: KC4

Transmission. Provides an external air-to-oil cooling system.
Not Available with GU4.
Optional with: .....KNP

FLOOR COVERING:
Carpeted front mats, rear mats and load area. Included with ZM9.
Optional with:.....SAU 2, 3 or 5.....B34

GLASS: Deep Tinted. Side quarter windows and rear doors/tailgate.
Optional with: AJ1

KEYLESS ENTRY, REMOTE: Three-button key fob remote transmitter. Illuminated entry (dome lamp remains on for 40 seconds or until ignition is engaged). Two key fobs are provided.
Optional with: .....SAU 2 or 5..... AU0

LICENSE PLATE BRACKET: Front VK3

MIRRORS: Exterior. Left Hand and Right Hand. Camper-Type Stainless Steel.
Optional with: .....SAU 1, 3 or 3 on C10516, K10516..... DF2

MOULDINGS: Wheel Opening Fender Flare. Front and Rear.
Check Colour, Trim and Seat Availability Charts for colour availability.
Optional with: ..... SAU 1, 2, 3 or 4 on K10516.....B71

PAINT SCHEMES: (See Colour, Trim and Seat Availability Chart)
Solid
Optional with: .....SAU 1, 2, 3 or 4.....ZY1

Conventional Two-Tone
Optional with: .....SAU 2, 3, 4or 5.....ZY2

STEP #4 SELECT ADDITIONAL OPTIONS

Description	Option Code
RADIO EQUIPMENT:	
Radio Delete (**Deletes** radio, antenna and speakers). **Not Available** with YE9.	
Optional with: ..... SAU 1	UL5
Electronically Tuned AM/FM Stereo Radio with Seek-Scan, Cassette Player and Digital Clock. Includes four speakers (two in front doors, two in rear pillar).	
Optional with; ..... SAU 1, 2, 3 or 5 C/K10516	UM6
Electronically Tuned AM/FM Stereo with Cassette Player, Seek-Scan, Automatic Tone Control and Clock. **Requires** UL2 on ZE5. ZE5 includes four speakers (two in front doors, two in rear pillar). YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar).	
Optional with: ..... SAU 1, 2, 3 or 5 C/K10516	UL0
Electronically Tuned AM/FM Stereo with Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. Includes two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear headliner (plus two speakers mounted in rear side doors on C10706,K10706).	
Optional with: ..... SAU 2, 3, 4 or 5	UN0
Electronically Tuned AM/FM Stereo with Cassette Player and Compact Disc Player, Seek-Scan, Automatic Tone Control and Clock. Includes two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear headliner (plus two speakers mounted in rear side doors on C10706,K10706).	
Optional with: ..... SAU 2, 3, 4 or 5	UP0
Electronically Tuned AM/FM Stereo with Cassette, Seek – Scan Data System, Clock. **Requires** UL2. ZE5 includes four speakers (two in front doors, two in rear pillar). YE9 includes six speakers (two high sensitivity speakers in front doors, two tweeters in front door armrests, two speakers in rear pillar)	UW3
RADIO FREQUENCIES EUROPEAN: Requires UL0 or UW3	UL2
REAR WINDOW EQUIPMENT:	
Rear Window Defogger. Electric. **Requires** ZW9 and C60. Included with YE9 or ZP6.	
Optional with: ..... SAU 1 on C10516, K10516	C49
Rear Window Intermittent Wiper/Washer/Defogger. **Requires** E55 and C60. Included with the combination of YE9 and E55. Includes C49.	
Optional with: ..... SAU 1 on C10516, K10516	ZP6
RUNNING BOARDS, SIDE STEP: Black. Moulded plastic over sheet metal construction. Supports up to 272 kgs (600 lbs) per side. Shipped inside vehicle for dealer installation.	
Optional with:	BVE
SEAT ADJUSTER, POWER: 6 Way. Drivers Side only.	
Optional with: ..... SAU 2 or 5	AG9
SKID PLATES: Off-Road. Included with Z71. Includes shields for engine, front differential and transfer case. Also includes fuel tank shield on K10516.	
Optional with: K10516, K10706	NZZ
TORSION BARS: Front, Heavy Duty.	
Optional with: K10516	F60
TOWING DEVICE: Two front tow hooks. Included on K10516, K10706.	
Optional with: C10516, C10706	V76
TRAILERING SPECIAL EQUIPMENT: Heavy Duty. **Requires** KNP.	
With GU6 **Requires** KC4. Includes Weight Distributing Platform Trailer Hitch	
Optional with:	Z82
TRANSFER CASE	
AUTOTRAC: Automatic Four Wheel Drive function in addition to the traditional 2H/4H/4L. **Requires** ZQ3 with ZE5.	
Optional with: ..... SAU 1, 2 or 5 on K10516, K10706	NP8
TRANSFER CASE DELETE:. **Deletes** Autotrac. Includes New Process 241 Manual Transfer Case with floor mounted controls.	
Optional with: ..... SAU 3 or 4 on K10516, K10706	R7T

STEP #4 SELECT ADDITIONAL OPTIONS

WHEELS and WHEEL TRIM:

Rally trim rings and bright hub caps. **Not Available** with N90, PF4 or YE9.
Optional with: ..... SAU 1 on C10516, K10516 ..... P06

Aluminum, Cast. 381 mm x 178 mm (15" x 7"). Four Wheels only. **Not Available** with P06. Included with YE9.
Optional with: ..... SAU 1 on C10516 ..... N90

Aluminum, Cast. 406 mm x 178 mm (16" x 7"). Four Wheels only. **Required with** QGC or QGD. **Not Available** with P06. Included with YE9.
Optional with: ..... SAU 1 on K10516 ..... PF4

DESCRIPTION	Order Code	Lead Time Days

SPECIAL EQUIPMENT WHEN INSTALLED AT ASSEMBLY PLANT

BOOT COVERS, PROTECTIVE DRIVE AXLE: Provides a ballistic nylon protective cover that sweeps ice, snow, mud and other debris from the lower control arm, resulting in a longer seal life. Recommended for use in severe environments such as mining operations, forestry service, farming and other off-highway uses.
Optional with: ..... K10516, K10706 ..... 8T7 — 42

CONSOLE DELETE: **Requires** A95. **Deletes** floor console and roof console.
Optional with: ..... C/K10516 ..... 9N5 — 42

CONVENIENCE GROUP: Power Windows. **Requires** ZE5. Includes uplevel door trim panels.
Optional with: ..... SAU 1 ..... 9U0 — 14

MIRRORS, EXTERIOR: Driver and Passenger. West Coast type. **Requires** ZE5. Stainless steel.
Optional with: ..... SAU 1 on C/K10516 ..... 9F8 — 35

PAINTS: Solid. **Requires** 01U.
Orange, Tangier ..... 9W4 — 42
Yellow, Wheatland ..... 9W3 — 42
Green, Woodland ..... 9V5 — 42
Tan, Doeskin ..... 9V9 — 42

TRIM OVERRIDE: Provides cloth seats. **Requires** ZE5 and 'D' code Trim. **Requires** AE7 or A95.
Optional with: ..... SAU 1 ..... 9X5 — 28

SEATS, FRONT: **Requires** 9X5.
Split Bench ..... SAU 1 on C/K10516 ..... AE7 — - -
High Back Reclining Buckets. ..... SAU 1 on C/K10516 ..... A95 — - -

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY1 PAINT APPLICATION

WITHOUT BYP

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
ZE5	Low Back Buckets	Vinyl	A50	13V	26V	52V	79V
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Available Combinations				B71 Wheel Opening Fender Flare
Pewter (Met)	11U	X	X	X	X	Pewter (Met)
Storm Gray (Met)	14U	X	X	---	X	Storm Gray (Met)
Indigo Blue (Met)	39U	X	X	X	---	Dark Argent
Onyx Black	41U	X	---	X	X	Onyx Black
R Emerald Green (Met)	43U	X	---	X	---	Will advise
Summit White	50U	X	X	X	X	Summit White
Dark Toreador Red (Met)	51U	X	---	X	X	Dark Argent
Gold (Met)	60U	---	---	X	---	Gold (Met)
Fire Red	74U	X	---	X	X	Fire Red

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only.**

WITH BYP (K10516 ONLY)

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Available Combinations				B71 Wheel Opening Fender Flare
Pewter (Met)	11U	X	X	---	X	Pewter (Met)
Onyx Black	41U	X	---	X	X	Onyx Black

♦ **Leather is on seating surfaces only.**

1999 LIGHT DUTY TRUCKS

STEP #5: SELECT COLOUR, TRIM AND PAINT APPLICATION CODE

ZY2 PAINT APPLICATION

YE9 Model Option

Model Option	Seat Ordering Information			Interior Trim			
	Type	Seat Material	Option Code	Gray	Blue	Neutral	Red
YE9	Split Bench	Custom Cloth	AE7	13D	26D	52D	79D
	Split Bench	Leather	AE7	♦132	♦262	♦522	♦792
	High Back Buckets	Custom Cloth	A95	13D	26D	52D	79D
	High Back Buckets	Leather	A95	♦132	♦262	♦522	♦792

Exterior Paint Colour	Code	Exterior Paint Colour	Code	Available Combinations				B71 Wheel Opening Fender Flare
Pewter (Met)	11U	Storm Gray (Met)	14L	X	X	---	X	Storm Gray (Met)
	11U	Indigo Blue (Met)	39L #	X	X	---	---	---
	11U	Onyx Black	41L	X	---	---	X	Onyx Black
	11U	Dark Toreador Red (Met)	51L #	X	---	---	X	---
Storm Gray (Met)	14U	Pewter (Met)	11L	X	---	---	X	Pewter (Met)
	14U	Onyx Black	41L	X	---	---	X	Onyx Black
	14U	Dark Toreador Red (Met)	51L #	X	---	---	X	---
	14U	Gold (Met)	60L	X	---	X	---	Gold (Met)
Indigo Blue (Met)	39U	Pewter (Met)	11L	X	X	---	---	Pewter (Met)
	39U	Storm Gray (Met)	14L	X	X	---	---	Storm Gray (Met)
	39U	Gold (Met)	60L	---	X	X	---	Gold (Met)
Onyx Black	41U	Pewter (Met)	11L	X	---	---	X	Pewter (Met)
	41U	Storm Gray (Met)	14L	X	---	---	X	Storm Gray (Met)
	41U	Gold (Met)	60L	---	---	X	---	Gold (Met)
	41U	Fire Red	74L #	X	---	---	X	---
R Emerald Green (Met)	43U	Pewter (Met)	11L	X	---	---	---	Pewter (Met)
	43U	Storm Gray (Met)	14L	X	---	---	---	Storm Gray (Met)
	43U	Gold (Met)	60L	---	---	X	---	Gold (Met)
Summit White	50U	Pewter (Met)	11L	X	X	---	X	Pewter (Met)
	50U	Storm Gray (Met)	14L	X	X	---	X	Storm Gray (Met)
	50U	Indigo Blue (Met)	39L #	---	X	---	---	---
	50U	Gold (Met)	60L	---	---	X	---	Gold (Met)
Dark Toreador Red (Met)	51U	Pewter (Met)	11L	X	---	---	X	Pewter (Met)
	51U	Storm Gray (Met)	14L	X	---	---	X	Storm Gray (Met)
	51U	Gold (Met)	60L	---	---	X	X	Gold (Met)
Gold (Met)	60U	Storm Gray (Met)	14L	X	---	X	---	Storm Gray (Met)
	60U	Onyx Black	41L	---	---	X	---	Onyx Black
Fire Red	74U	Pewter (Met)	11L	X	---	---	X	Pewter (Met)
	74U	Storm Gray (Met)	14L	X	---	---	X	Storm Gray (Met)
	74U	Onyx Black	41L	X	---	---	X	Onyx Black

♦ **Leather Trim Requires SAU 3 or 4. Leather is on seating surfaces only**

\# **Not Available when B71 is specified**

DATE: May 17, 1999
REVISION NO: 00-1B

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

1999

UPDATE

GMC

YUKON

TRUCK TECHNICAL PAGES

Attached is revision 00-1B of the Light Duty Truck Technical Pages.The next revision will be September 13, 1999.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB) BASED ON CURB WT	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
2-DOOR YUKON	C10516/ZW9/E55	5/6	5700 V8/A4	—	2767 (6100)	1452/1672 (3200/3686)	689 (1519)	3175/* (7000)
4-DOOR YUKON	C10706/ZW9/E55	6/5	5700 V8/A4	—	2858 (6300)	1452/1672 (3200/3686)	603 (1330)	3175/* (7000)
FOUR-WHEEL-DRIVE MODELS								
2-DOOR YUKON	K10516/ZW9/E55	5/6	5700 V8/A4	—	2835 (6250)	1780/1701 (3925 /3750)	597 (1317)	2948/* (6500)
4-DOOR YUKON	K10706/ZW9/E55	6/5	5700V8/A4	—	3084 (6800)	1633/1701 (3600/3750)	638 (1409)	2948/* (6500)

*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 1000 lbs)

ENGINE

	VORTEC 5700 V8
Engine Order Code	L31 (Standard)
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	190 @ 4600 (255 @ 4600)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	447 @ 2800 (330 @ 2800)
Fuel System	SFI
Standard Battery Cold Cranking Amps @ -17.8° C (0° F)	(12-volt negative ground) 600
Standard Alternator Maximum Capacity Amps	(Delcotron) 100

TRANSMISSION

	ELECTRONIC AUTOMATIC 4-SPEED WITH OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E) (includes brake/transmission shift interlock)
Transmission Order Code	M30 (Standard)
Engine Application (Order Code)	5700 V8 (L31)
Synchronized Speeds	—
Gear Ratios First Second Third Fourth Reverse	 3.06 1.63 1.00 0.70 2.29

AXLES

	REAR AXLE			FRONT AXLE (4X4 ONLY)	
Make	American Axle			American Axle	
Capacity kg (lb)	1701 (3750)			1780 (3925)	
Pinion and Ring Gear Type	Hypoid, semi-floating			Hypoid	
Axle Ratio Code	GU4 (Std)	GU6 (Std)[1]	GT4	GU6	GT4
Ratio	3.08	3.42	3.73	3.42	3.73
Pinion Teeth	13	12	11	12	11
Ring Gear Teeth	40	41	41	41	41
Ring Gear Diameter mm (in.)	218 (8.6)	218 (8.6)	218 (8.6)	210 (8.25)	210 (8.25)

[1] Standard with K10516 /C/K10706.

BRAKES

Type	Power 4-Wheel Anti-Lock	Power 4-Wheel Anti-Lock
Application	C/K10516/C10706	K10706
Front Rotor Size mm (in.)	Disc 294 (11.57)	Disc 294 (11.57)
Rear Size mm (in.)	Drum 254 x 57 (10.00 x 2.25)	Drum 283 x 70 (11.15 x 2.75)
Booster Type	Vacuum[1]	Vacuum
Parking Brake Type Operation	Cable to Rear Wheels Pedal	Cable to Rear Wheels Pedal

[1] Hydraulic booster type on K10516 models at 2926 kg (6400 lb) GVWR.

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel single exhaust with converter and unitized muffler tailpipe (Tailpipe exit on right-hand side of vehicle)
FRAME	
Type	All-welded ladder-type with channel design and boxed front section
Material	Carbon steel
Yield Strength	36,000 PSI
FUEL TANK	
Location	Rear-mounted w/fuel filler on left side at the rear Includes plastic bathtub type shield
Capacity (approx.)	114 litres (25 imperial gal.)
GVWR	
C5M- C10516	2767 kg (6100 lb)
C5P- K10516	2835 kg (6250 lb)
C5Q- K10706	2858 kg (6300 lb)
C5U- K10706	3084 kg (6800 lb)
STEERING	
Type	Integral Power /Speed-sensitive Electronic Variable Orifice (EVO)

SUSPENSION, FRONT	**INDEPENDENT**
Capacity	
C10516/10706	1633 kg (3600 lb)
K10516/10706	1780 kg (3925 lb)
2WD Springs	Coil
Capacity	726-817 kg (1600-1800 lb) each
4WD Springs	Torsion bars
Capacity	
K10516	890 kg (1963 lb) each
K10706	817 kg (1800 lb) each
Shock absorbers	
C/K10516	32mm (1.25 in.) piston diameter
C/K10706	36mm (1.42 in.) piston diameter
Stabilizer bar	
C10516/C10706	32mm (1.25 in.) diameter
K10516/K10706	30mm (1.18 in.) diameter
SUSPENSION, REAR	
Springs	Two-stage, multi-leaf
Capacity	850 kg (1875 lb) each
Shock absorbers	
C/K 10516	32mm (1.25 in.) piston diameter
C/K 10706	36mm (1.42 in.) piston diameter
Stabilizer bar	
K10706	22mm (0.86 in.) diameter
TRANSFER CASE	
Availability	K10516/ K10706
Type/Model	Manual transfer case/New process 241
Controls	Floor mounted
WHEELS	
Type	
C/K10516	Five disc
C/K10706	Four cast aluminum w/ steel spare
Size	
C10516/C10706	381mm x 178mm (15" x 7")
K10516/K10706	406mm x 165mm (16" x 6.5")
Attachment	
C10516	5 bolts on 140mm (5.5") circle
K10516	6 bolts on 140mm (5.5") circle

TIRES		
KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY AT = ALL TERRAIN BW = BLACKWALL WL = WHITE LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED WS = WHITE STRIPE		
TIRE DESCRIPTION		FRONT/REAR/SPARE
LT245/75R16C	ON-OFF/SBR/BW	QBN
LT245/75R16C	ON-OFF/SBR/WOL	QBX
P235/75R15	AS/SBR/BW	QFL (Std. on C10516 / C10706)
P235/75R15	AS/SBR/WL	QFN
P245/75R16	AT/SBR/BW	QGA (Std. on K10516 / K10706)
P245/75R16	AT/SBR/WOL	QGB
P265/75R16	AT/SBR/BW	QGC
P265/75R16	AT/SBR/WOL	QGD

DIMENSIONS

MODEL	YUKON			
MODEL NUMBER	C10516	C10706	K10516	K10706
EXTERIOR DIMENSIONS				
BODY Wheelbase mm (in.)	2832 (111.5)	2985 (117.5)	2832 (111.5)	2985 (117.5)
Overall Length mm (in.)	4775 (188.0)	5070 (199.6)	4775 (188.0)	5070 (199.6)
Overall Height mm (in.)	1798 (70.8)	1798 (70.3)	1842 (72.5)	1839 (72.4)
Maximum Width mm (in.)	1958 (77.1)	1951 (76.8)	1958 (77.1)	1951 (76.8)
Bumper to Axle mm (in.) Front Rear	899 (35.4) 1044 (41.1)	909 (35.8) 1173 (46.2)	899 (35.4) 1044 (41.1)	909 (35.8) 1173 (46.2)
Ground to Top of Rear Load Floor mm (in.)	731 (28.8)	711 (28.0)	767 (30.2)	757 (29.8)
Ground Clearance mm (in.) Front/Rear	234/183 (9.2/7.2)	267/183 (10.5/7.2)	251/203 (9.9/8.0)	244/218 (9.6/8.6)
Turning Diameter Curb-to-Curb m (ft)	11.61 (38.1)	12.13 (39.8)	11.89 (39.0)	12.41(40.7)
SIGN PANEL AREA mm (in.)	432 x 1238 (17 x 48.75)	432 x 1943 (17 x 76.50)	432 x 1238 (17 x 48.75)	432 x 1943 (17 x 76.50)
INTERIOR DIMENSIONS				
Headroom mm (in.) Front/Rear	1013/960 (39.9/37.8)	1013/836 (39.9/32.9)	1013/960 (39.9/37.8)	1013/836 (39.9/32.9)
Legroom mm (in.) Front/Rear	1064/925 (41.9/36.4)	1059/925 (41.7/36.4)	1064/925 (41.9/36.4)	1059/925 (41.7/36.4)
Shoulder Room mm (in.) Front/Rear	1661/1676 (65.4/66.0)	1643/1646 (64.7/64.8)	1661/1676 (65.4/66.0)	1643/1646 (64.7/64.8)
Hip Room mm (in.) Front/Rear	1524/1542 (60.0/60.7)	1521/1516 (59.9/59.7)	1524/1542 (60.0/60.7)	1521/1516 (59.9/59.7)
Cargo Volume litres (cu ft) Behind Rear Seat Behind Front Seat	1461 (51.6) 2815 (99.4)	1894 (66.9) 3347 (118.2)	1461 (51.6) 2815 (99.4)	1894 (66.9) 3347 (118.2)
Load Floor Length mm (in.) Behind Rear Seat[1] Behind Front Seat	986 (38.8) 1895 (74.6)	1326 (52.2) 1961 (77.8)	986 (38.8) 1895 (74.6)	1326 (52.2) 1976 (77.8)
Interior Width Between Wheelhousings mm (in.)	1262 (49.7)	1255 (49.4)	1262 (49.7)	1255 (49.4)
Cargo Area Height mm (in.)	1008 (39.7)	1036 (40.8)	1008 (39.7)	1036 (40.8)

[1] Measured floor to roof.

Since 1999 production will be extended through mid October, we are reprinting the 1999 GMODC Vehicle Order Guides for the 400 Series C/K Utilities.

The 2000 Vehicle Order Guides will be issued in our next revision, 00-2, dated September 13, 1999.